

展開表(1/12)

Loc.#	Vp	Stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
1	1	10	101 - 340	1 - 78	240+78			水道管工事のため発振不可 砂利道
2								
3	3	10	101 - 340	1 - 78	240+78			
4								道悪い
5								道悪い
6	6	10	101 - 340	1 - 78	240+78			
7								
8	8	10	101 - 340	1 - 78	240+78			
9								
10								道路露岩、発振不可
11								
12								
13								
14								
15								
16	16	3	101 - 340	1 - 78	240+78			
17								家近い
18								
19	19	10	101 - 340	1 - 78	240+78			
20								
21								
22	22	10	101 - 340	1 - 78	240+78			
23								
24								
25	25	10	101 - 340	1 - 78	240+78			
26								
27								
28	28	10	101 - 340	1 - 78	240+78			
29								
30	30	10	101 - 340	1 - 78	240+78			交差点
31								
32								
33	33	10	101 - 340	1 - 78	240+78			
34								
35								Offset 民家
36								
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49	49	3	101 - 340	1 - 78	240+78			Offset
50								

展開表(2/12)

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
51								
52								
53								
54								
55								
56								
57								
58								
59								
60								
61								
62								
63								
64								
65								
66								
67								
68								
69								
70								
71								
72	72	5	101 - 340	1 - 78	240+78			
73								
74								
75								
76								
77	77	5	101 - 340	1 - 78	240+78			Offset
78								
79								
80								
81								
82	82	5	101 - 340	1 - 78	240+78			Offset
83								
84								
85								
86								
87								
88								
89								
90								
91								
92	92	1	101 - 340	1 - 78	240+78			Offset、測線より東側
93	93	1	101 - 340	1 - 78	240+78			Offset、測線より西側
94								
95								
96								
97								
98								
99								
100								広瀬川横断

展開表(3/12)

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
101	101	10	101 - 340	1 - 78	240+78			
102								
103								
104	104	10	101 - 340	1 - 78	240+78			
105								
106								
107	107	10	101 - 340	1 - 78	240+78			
108								
109								
110	110	10	101 - 340	1 - 78	240+78			
111								
112								
113	113	10	101 - 340	1 - 78	240+78			
114								
115								
116	116	10	101 - 340	1 - 78	240+78			
117								
118								
119	119	10	101 - 340	1 - 78	240+78			
120								
121								
122								
123								広瀬川横断(牛越橋)
124								広瀬川横断(牛越橋)
125								
126								
127								
128								
129								
130								
131								
132								
133								
134								
135								
136								
137								
138								
139								
140								
141								
142								
143								
144	144	3	101 - 340	1 - 78	240+78			Offset
145								
146								
147								
148	148	3	101 - 340	1 - 78	240+78			Offset
149								
150								

展開表(4/12)

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
151								
152								
153								
154	154	3	101 - 340	1 - 78	240+78			Offset
155								
156	156	3	101 - 340	1 - 78	240+78			Offset
157								
158								
159								
160								
161	161	3	101 - 340	1 - 78	240+78			Offset
162								
163								
164								
165								
166								
167								
168								
169								
170								
171								
172	172	3	101 - 340	1 - 78	240+78			Offset, 淀橋北側下
173								
174								
175								
176								
177								
178								
179								
180								
181	181	5	101 - 340	1 - 78	240+78			
182								
183								
184								
185								
186	186	5	101 - 340	1 - 78	240+78			仙台第二高校
187								
188								
189								交差点近い
190								交差点
191								交差点近い
192	192	10	101 - 340	1 - 78	240+78			
193								
194								
195	195	10	101 - 340	1 - 78	240+78			
196								
197								
198	198	10	101 - 340	1 - 78	240+78			測線脇で造成? 工事
199								
200								交差点近い

展開表(5/12)

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
201								交差点
202								
203	203	10	101 - 340	1 - 78	240+78			測線脇で造成? 工事
204								
205								
206	206	10	101 - 340	1 - 78	240+78			
207								
208								
209	209	10	101 - 340	1 - 78	240+78			
210								
211								カーブ
212								
213								
214								
215								
216	216	10	101 - 340	1 - 78	240+78			
217								
218								
219								仙台国際センター入り口
220								
221	221	5	102 - 342		240			
222								
223								
224								
225								
226								
227								
228								受振ライン広瀬川東岸
229	229	10	110 - 350		240			Offset, 天文台近く
230								
231								
232								
233								
234								
235								
236	236	3	117 - 356		240			Offset, 旧家庭裁判所近く
237								
238								
239								
240								
241								
242								
243								
244								
245								
246								受振ライン、花壇地区路地
247								
248								
249								
250								

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
251								
252								
253								
254								
255	255	3	136 - 375		240			↑ グラウンド脇
256								
257								道狭い
258	258	10	139 - 378		240			グラウンド脇
259								
260								
261	261	10	142 - 381		240			Offset 評定河原橋脇
262	262	3	143 - 382		240			Offset、裁判所近く
263								
264								
265								
266								
267								
268								
269								
270								
271								
272								
273								
274								
275								
276								
277								
278								
279								
280								
281								
282								
282								
283								
284								
285								
286								
287								
288								
289								
290								
291								
292								
293								
294								
295								
296								
297	297	5	178 - 417		240			Offset、高校グラウンド
298								
299								
300								

展開表(7/12)

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
301								
302								
303								
304								
305								
306								
307								
308								
309								
310								
311								
312								
313								
314								
315								
316								
317								
318								
319								広瀬川横断
320								広瀬川横断
321								広瀬川愛宕緑地
322								
323								
324	324	3	205 - 444		240			
325								
326	326	3	207 - 446		240			
327								
328	328	3	209 - 448		240			
329								
330	330	3	211 - 450		240			
331								
332	332	3	213 - 452		240			
333								
334	334	3	215 - 454		240			
335								
336	336	3	217 - 456		240			
337								
338								▼
339								
340								
341								
342								
343								
344								
345								
346								
347								
348								
349								
350	350	3	231 - 470		240			Offset

Loc.#	Vp	Stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
351								
352								
353								
354								
355								
356	356	3	237 - 476		240			Offset
357	357	3	238 - 477		240			Offset
358	358	3	239 - 478		240			Offset
359	359	3	240 - 479		240			Offset
360	360	3	241 - 480		240			Offset
361	361	3	242 - 481		240			Offset
362	362	3	243 - 482		240			Offset
363	363	3	244 - 483		240			Offset
364	364	3	245 - 484		240			Offset
365	365	3	246 - 485		240			Offset
366	366	3	247 - 486		240			Offset
367	367	3	248 - 487		240			Offset
368	368	3	249 - 488		240			Offset
369	369	3	250 - 489		240			Offset
370	370	3	251 - 490		240			Offset
371	371	3	252 - 491		240			Offset
372	372	3	253 - 492		240			Offset
373	373	3	254 - 493		240			Offset
374	374	3	255 - 494		240			Offset
375	375	3	256 - 495		240			Offset
376								交差点
377								交差点、宮沢橋
378	378	3	259 - 498		240			交差点
379	379	3	260 - 499		240			
380	380	3	261 - 500		240			
381	381	3	262 - 501		240			
382	382	3	263 - 502		240			
383	383	3	264 - 503		240			
384	384	3	265 - 504		240			
385	385	3	266 - 505		240			
386	386	3	267 - 506		240			
387	387	3	268 - 507		240			
388	388	3	269 - 508		240			
389	389	3	270 - 509		240			
390	390	3	271 - 510		240			
391	391	3	272 - 511		240			
392	392	3	273 - 512		240			
393	393	3	274 - 513		240			
394	394	3	275 - 514		240			
395	395	3	276 - 515		240			
396	396	3	277 - 516		240			
397	397	3	278 - 517		240			
398	398	3	279 - 518		240			
399	399	3	280 - 519		240			
400								

展開表(9/12)

Loc.#	Vp	Stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
401								地下に地下鉄
402								
403								
404								↓ 広瀬橋
405								↓ 店舗・マンション近い
406								
407	407	5	289 - 597		309			河川敷で発振
408								
409								↓
410								JR
411								↓
412								
413								土手向こうに民家
414	414	5	289 - 597		309			
415								
416	416	5	289 - 597		309			
417								
418	418	5	289 - 597		309			
419								
420	420	5	289 - 597		309			
421								
422	422	5	289 - 597		309			
423								
424	424	5	289 - 597		309			
425								
426	426	5	289 - 597		309			
427								
428	428	5	289 - 597		309			
429								
430	430	5	289 - 597		309			
431								
432	432	5	289 - 597		309			
433								
434	434	5	289 - 597		309			
435								
436	436	5	289 - 597		309			
437								
438	438	5	289 - 597		309			
439								
440	440	5	289 - 597		309			
441								
442	442	5	289 - 597		309			↓
443								
444								↓
445	445	20	289 - 597		309			
446								
447								
448	448	20	289 - 597		309			
449								
450								

展開表(10/12)

Loc.#	Vp	Stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
451								河川敷で発振
452	452	20	289 - 597		309			
453								
454								
455								
456	456	20	289 - 597		309			
457								
458								
459								
460	460	20	289 - 597		309			
461								
462								
463	463	20	289 - 597		309			
464								
465								
466	466	20	289 - 597		309			
467								
468								千代大橋
469								↓
470								
471								
472	472	20	289 - 597		309			
473								
474								
475								
476	476	20	289 - 597		309			
477								
478								
479								
480	480	20	289 - 597		309			
481								
482								
483								
484	484	20	289 - 597		309			
485								
486								
487								
488	488	20	289 - 597		309			
489								
490								
491								
492	492	20	289 - 597		309			
493								
494								
495								
496	496	20	289 - 597		309			
497								
498								
499								
500	500	20	289 - 597		309			

展開表(11/12)

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
501								河川敷で発振
502								
503								
504	504	20	289 - 597		309			
504								
505								
506								
507	507	20	289 - 597		309			
508								
509								
510								
511	511	20	289 - 597		309			
512								
513								
514								
515	515	20	289 - 597		309			
516								
517								
518	518	20	289 - 597		309			
519								
520								
521								上水道水道管横断
522								
523								
524	524	20	289 - 597		309			
525								
526								
527	527	20	289 - 597		309			
528								
529								
530								
531								仙台南部道路(広瀬大橋)
532								
533								
534								
535								
536								
537	537	20	289 - 597		309			Offset
538								
539								
540	540	20	289 - 597		309			Offset
541								
542								
543	543	20	289 - 597		309			Offset
544								
545								
546	546	20	289 - 597		309			Offset、屈折点
547								
548								
549	549	5	289 - 597		309			Offset、土手下川側の農道で発振
550								

展開表(12/12)

Loc.#	Vp	stk	Spread-1 (G-DAPS4)	Spread-2 (MS-2000AD)	CH	F0	# of VIB	Remarks
551								
552								
553								
554								
555								
556								
557								
558								
559								
560	560	5	289 - 597		309			Offset、土手下川側の農道で発振
561								
562								
563								
564								
565								
566								
567								
568								
569								
570								
571	571	5	289 - 597		309			Offset、土手下川側の農道で発振
572								
573								
574								
575								
576								
577								
578								
579								測線は川側の農道へ
580								道悪い
581	581	5	289 - 597		309			
582								
583	583	5	289 - 597		309			
584								
585	585	5	289 - 597		309			
586								
587	587	5	289 - 597		309			
588								
589	589	5	289 - 597		309			
590								
591	591	5	289 - 597		309			
592								ここより奥は道が細く進入困難
593								
594								
595								
596								
597								測線南端
598								
599								
600								