

rec#	VP	Force out	#oftruck	spread	length	VPposition	F ch	L ch	F ch	L ch	# of stack
1	D.R.						163	-	627		
2	P.R.						163	-	627		
3	S.N.						163	-	627		
4	G.P.						163	-	627		
5	G.N.						163	-	627		
6	F1	0.9	4	Fix	25.5	3378.0	163	-	627		10
7	F2	0.9	4	Fix	25.5	3378.0	163	-	627		10
8	F3	0.9	4	Fix	25.5	3378.0	163	-	627		10
9	F4	0.9	4	Fix	25.5	3378.0	163	-	627		10
10	N1	0.9	4	Fix	25.5	3378.0	163	-	627		5
11	N2	0.9	4	Fix	25.5	3378.0	163	-	627		10
12	N3	0.9	4	Fix	25.5	3378.0	163	-	627		20
13	N4	0.9	4	Fix	25.5	3378.0	163	-	627		30
14	N5	0.9	4	Fix	25.5	3378.0	163	-	627		40
15	E1	0.9	4	Fix	25.5	3378.0	163	-	627		5
16	3382	0.5	4	Fix	25.5	3382.0	101	-	627		20
17	3375	0.9	4	Fix	25.5	3375.0	101	-	627		20
18	3373	0.5	4	Fix	25.5	3373.0	101	-	627		20
19	3370	0.5	2	Fix	8.5	3370.0	101	-	627		10
20	365	0.5	4	Fix	25.5	365.0	101	-	627		20
21	359	0.9	4	Fix	25.5	359.0	101	-	627		20
22	356	0.5	2	Fix	8.5	356.0	101	-	627		5
23	353	0.5	4	Fix	25.5	353.0	101	-	627		10
24	349	0.5	4	Fix	25.5	349.0	101	-	627		20
25	345	0.9	4	Fix	25.5	345.0	101	-	627		20
26	345	0.9	4	Fix	25.5	345.0	101	-	627		40
27	341	0.5	4	Fix	25.5	341.0	101	-	627		20
28	337	0.9	4	Fix	25.5	337.0	101	-	627		20
29	G.N.						101	-	627		
30	P.R.						101	-	500	501 -	627
31	S.N.						101	-	500	501 -	627
32	G.P.						101	-	500	501 -	627
33	G.N.						101	-	500	501 -	627
34	3320	0.9	4	Fix	25.5	3320.0	101	-	500		20
35	3326	0.5	4	Fix	25.5	3326.0	101	-	500		20
36	3334	0.5	4	Fix	25.5	3334.0	101	-	500		20

37	3338	0.5	4	Fix	25.5	3338.0	101	-	500	20
38	397	0.5	2	Fix	8.5	397.0	117	-	516	20
39	401	0.5	2	Fix	8.5	401.0	121	-	520	20
40	405	0.5	2	Fix	8.5	405.0	125	-	524	20
41	408	0.5	3	Fix	17.0	408.0	128	-	527	20
42	3414	0.5	1	Fix	0.0	3414.0	134	-	533	10
43	3416	0.5	1	Fix	0.0	3416.0	136	-	535	5
44	3420	0.5	1	Fix	0.0	3420.0	140	-	539	10
45	3422	0.5	1	Fix	0.0	3422.0	142	-	541	5
46	3424	0.5	1	Fix	0.0	3424.0	144	-	543	5
47	3426	0.5	1	Fix	0.0	3426.0	146	-	545	10
48	3428	0.5	2	Fix	8.5	3428.0	148	-	547	5
49	3428	0.5	2	Fix	8.5	3428.0	148	-	547	10
50	3430	0.7	2	Fix	8.5	3430.0	146	-	545	10
51	3440	0.3	1	Fix	0.0	3440.0	160	-	559	5
52	3443	0.5	1	Fix	0.0	3443.0	163	-	562	5
53	3448	0.5	1	Fix	0.0	3448.0	168	-	567	10
54	3495	0.3	4	Fix	25.5	3495.0	215	-	614	10
55	3452	0.5	1	Fix	0.0	3452.0	172	-	571	10
56	3456	0.5	1	Fix	0.0	3456.0	176	-	575	10
57	3460	0.3	1	Fix	0.0	3460.0	180	-	579	5
58	3464	0.5	1	Fix	0.0	3464.0	184	-	583	5
59	3468	0.3	1	Fix	0.0	3468.0	188	-	587	5
60	3474	0.3	1	Fix	0.0	3474.0	194	-	593	5
61	3477	0.5	1	Fix	0.0	3477.0	197	-	596	10
62	3483	0.5	2	Fix	8.5	3483.0	203	-	602	10
63	3489	0.3	1	Fix	0.0	3489.0	209	-	608	5
64	3492	0.9	2	Fix	8.5	3492.0	212	-	611	10
65	499	0.5	4	Fix	25.5	499.0	199	-	598	20
66	506	0.5	4	Fix	25.5	506.0	206	-	605	20
67	509	0.9	4	Fix	25.5	509.0	209	-	608	20
68	515	0.9	4	Fix	25.5	515.0	215	-	614	20
69	521	0.9	4	Fix	25.5	521.0	221	-	620	20
70	528	0.5	4	Fix	25.5	528.0	228	-	627	20
71	533	0.5	4	Fix	25.5	533.0	228	-	627	20
72	G.N.						228	-	627	
73	P.R.						228	-	627	

74	S.N.						228	-	627	
75	G.P.						228	-	627	
76	G.N.						228	-	627	
77	540	0.9	4	Fix	25.5	540.0	228	-	627	20
78	546	0.9	4	Fix	25.5	546.0	228	-	627	20
79	551	0.9	4	Fix	25.5	551.0	228	-	627	20
80	557	0.9	4	Fix	25.5	557.0	228	-	627	20
81	563	0.9	4	Fix	25.5	563.0	228	-	627	20
82	569	0.9	4	Fix	25.5	569.0	228	-	627	20
83	569	0.9	4	Fix	25.5	569.0	228	-	627	40
84	575	0.9	4	Fix	25.5	575.0	228	-	627	20
85	580	0.9	4	Fix	25.5	580.0	228	-	627	20
86	587	0.9	4	Fix	25.5	587.0	228	-	627	30
87	593	0.9	4	Fix	25.5	593.0	228	-	627	30
88	599	0.9	4	Fix	25.5	599.0	228	-	627	12
89	604	0.9	4	Fix	25.5	604.0	228	-	627	30
90	611	0.9	4	Fix	25.5	611.0	228	-	627	30
91	617	0.9	4	Fix	25.5	617.0	228	-	627	50
92	621	0.9	4	Fix	25.5	621.0	228	-	627	10
93	626	0.9	4	Fix	25.5	626.0	228	-	627	20
94	G.N.						228	-	627	
95	P.R.						101	-	627	
96	S.N.						101	-	627	
97	G.P.						101	-	627	
98	G.N.						101	-	627	
99	G.N.						101	-	627	
100	G.N.						101	-	627	
101	V-3	0.9	4	Fix	25.5	V-3	101	-	627	25
102	V-3	0.9	4	Fix	25.5	V-3	101	-	627	50
103	V-3	0.9	4	Fix	25.5	V-3	101	-	627	75
104	V-3	0.9	4	Fix	25.5	V-3	101	-	627	100
105	V-3	0.9	4	Fix	25.5	V-3	101	-	627	125
106	V-4	0.9	4	Fix	25.5	⁴⁹⁰⁶ (MS-2000)	101	-	627	50
107	V-4	0.9	4	Fix	25.5	⁴⁹⁰⁶ (MS-2000)	101	-	627	75
108	V-4	0.9	4	Fix	25.5	⁴⁹⁰⁶ (MS-2000)	101	-	627	100

109	V-2	0.9	4	Fix	25.5	V-2	101	-	627	25
110	V-2	0.9	4	Fix	25.5	V-2	101	-	627	50
111	V-2	0.9	4	Fix	25.5	V-2	101	-	627	75
112	V-1	0.9	4	Fix	25.5	5001B	101	-	627	50
113	V-1	0.9	4	Fix	25.5	5001B	101	-	627	75
114	V-1	0.9	4	Fix	25.5	5001B	101	-	627	100
115	G.N.						101	-	627	
116	P.R.						101	-	500	
117	S.N.						101	-	500	
118	G.P.						101	-	500	
119	G.N.						101	-	500	
120	3105	0.5	2	Fix	8.5	3105	101	-	500	10
121	3108	0.5	1	Fix	0.0	3108	101	-	500	10
122	3110	0.5	2	Fix	8.5	3110	101	-	500	10
123	117	0.9	4	Fix	25.5	117	101	-	500	20
124	121	0.9	4	Fix	25.5	121	101	-	500	20
125	3128	0.9	4	Fix	25.5	3128	101	-	500	20
126	3132	0.9	4	Fix	25.5	3132	101	-	500	20
127	3136	0.9	4	Fix	25.5	3136	101	-	500	20
128	3140	0.9	4	Fix	25.5	3140	101	-	500	20
129	3144	0.9	4	Fix	25.5	3144	101	-	500	20
130	3149	0.9	4	Fix	25.5	3149	101	-	500	20
131	3152	0.9	4	Fix	25.5	3152	101	-	500	20
132	3157	0.9	4	Fix	25.5	3157	101	-	500	10
133	3162	0.5	4	Fix	25.5	3162	101	-	500	20
134	3164	0.9	4	Fix	25.5	3164	101	-	500	20
135	277	0.3	1	Fix	0.0	277	101	-	500	3
136	274	0.3	1	Fix	0.0	274	101	-	500	3
137	270	0.5	2	Fix	8.5	270	101	-	500	10
138	266	0.5	1	Fix	0.0	266	101	-	500	10
139	262	0.5	4	Fix	25.5	262	101	-	500	10
140	257.5	0.5	1	Fix	0.0	257.5	101	-	500	10
141	251	0.5	4	Fix	25.5	251	101	-	500	10
142	248	0.5	4	Fix	25.5	248	101	-	500	20
143	244	0.5	1	Fix	0.0	244	101	-	500	5
144	238	0.3	1	Fix	0.0	238	101	-	500	3
145	232	0.5	4	Fix	25.5	232	101	-	500	10

	rec#	time	kill	location no	comment
Dynamic Range	1				
Pulse Response	2				
System Noise	3				
Geophone Pulse	4				
Ground Noise	5				
SweepFreq 6-40Hz	11.4 6				
SweepFreq 8-40Hz	11.4 7				
SweepFreq 8-30Hz	11.4 8				
SweepFreq 8-60Hz	11.4 9				
	8.0 10				
	11.4 11				
	16.1 12				
	19.7 13				
	22.8 14				
	8.0 15				
Loc153(W)	8.9 16				
Loc153(W)	16.1 17				
	8.9 18				
Loc424(D)	3.2 19				
Loc424(D)	8.9 20				
Loc424(D)	16.1 21				
	2.2 22				
	6.3 23				
	8.9 24				
	16.1 25				
	22.8 26				
	8.9 27				
	16.1 28				
Ground Noise	29				
Pulse Response	30				
System Noise	31				
Geophone Pulse	32				
Ground Noise	33				
	16.1 34				
	8.9 35				
	8.9 36				

System Noise	74
Geophone Pulse	75
Ground Noise	76
	16.1 77
	16.1 78
	16.1 79
	16.1 80
	16.1 81
	16.1 82
	22.8 83
	16.1 84
	16.1 85
	19.7 86
	19.7 87
stackNo.13 Noise rec	12.5 88
	19.7 89
	19.7 90
	25.5 91
	11.4 92
	16.1 93
GROUND NOISE	94
Pulse Response	95
System Noise	96
Geophone Pulse	97
Ground Noise	98
Ground Noise	99
Ground Noise	100
	18.0 101
	25.5 102
	31.2 103
	36.0 104
	40.2 105
	25.5 106
	31.2 107
	36.0 108

