

		7/12	7/13	7/14	7/15	7/16	7/17	7/18	7/19	7/20	7/21	計
Tape	入	30	-	-	-	-	-	-	-	-	-	残 37
	出	-	2	-	-	2	-	-	-	-	-	4
Plot	入	9	-	-	-	-	-	-	-	-	-	残 9
	出	-	-	1	-	-	-	-	-	-	-	1

	予定点数	7/12	7/13	7/14	7/15	7/16	7/17	7/18	7/19	7/20	7/21	計
Vibrator 反射		-	13 含むテ スト	37	16	-	-				-	66
Vibrator 屈折		-	-	-	-	4	-	-	-	-	-	4
TOTAL	0	0	13	37	16	4	0	0	0	0	0	70

受振器設置状況表 IS104

標準展開長は2.7mである

表記m数は間隔である

石狩平野北部地下構造調査作業場

(S)はスタンド使用 (B)はバンチング

Loc.	設置状況	Loc.	設置状況	Loc.	設置状況	Loc.	設置状況	Loc.	設置状況	Loc.	設置状況
101		151		201	0.7m	251		301		351	
102		152		202		252	0.3m	302		352	
103		153		203		253	0.3m	303		353	
104		154		204		254	(B)	304		354	
105		155	1m	205		255		305		355	
106		156		206		256		306		356	
107		157		207		257		307		357	
108		158		208	0.5m	258		308		358	
109		159		209		259		309		359	
110		160		210		260	0.5m	310		360	
111		161		211		261		311		361	
112		162		212		262		312		362	
113		163		213		263		313	(B)	363	
114		164		214		264		314		364	
115		165		215		265	0.5m	315		365	
116		166		216		266		316		366	
117		167		217		267	0.3m	317		367	
118		168		218	0.7m	268		318		368	
119		169		219		269		319		369	(B)
120		170		220		270		320		370	
121		171		221		271		321	(B)	371	
122		172		222		272		322		372	
123	(B)	173		223		273	1m	323		373	
124	0.7m	174		224		274		324		374	
125		175		225		275		325		375	
126		176		226		276		326		376	
127		177	0.5m	227		277		327		377	
128		178	(B)	228		278		328		378	
129		179	0.5m	229		279		329		379	
130		180		230		280		330		380	
131		181		231	1m	281		331		381	
132		182		232		282	1m	332	(B)	382	
133		183		233		283		333		383	
134		184	0.5m	234		284	0.3m	334		384	
135		185		235		285	(B)	335		385	
136	0.7m	186	0.5m	236		286	0.3m	336		386	
137		187		237		287		337		387	
138		188		238	0.3m	288		338		388	
139		189		239		289		339		389	
140		190		240		290		340		390	
141		191		241		291		341		391	
142		192	0.7m	242		292		342		392	
143		193		243		293		343		393	
144		194		244		294		344		394	
145		195	0.7m	245		295		345		395	
146		196		246		296	0.3m	346		396	
147		197		247		297		347		397	
148		198		248		298		348		398	
149		199		249		299		349		399	
150		200		250		300		350		400	

受振器設置状況表 IS104

標準展開長は2.7mである

表記m数は間隔である

石狩平野北部地下構造調査作業場

(S)はスタンド使用 (B)はバンチング

Loc.	設置状況	Loc.	設置状況	Loc.	設置状況	Loc.	設置状況	Loc.	設置状況	Loc.	設置状況
401		451		501	0.5m	551		601			
402		452		502		552		602			
403		453		503	1m	553		603			
404		454		504	1.35m	554		604			
405		455		505	1.35m	555	0.5m	605			
406		456		506	1m	556	(B)	606	(B)		
407		457		507		557		607			
408		458		508	1m	558	0.5m	608			
409		459		509		559		609	(B)		
410		460		510		560	0.5m	610			
411		461		511		561		611			
412		462		512	1m	562		612			
413		463		513	(B)	563		613	(B)		
414		464		514	1m	564		614			
415		465		515	(B)	565		615			
416		466		516	0.5m	566		616			
417		467		517	(B)	567		617			
418		468		518	1m	568		618			
419		469		519		569		619			
420		470		520	(B)	570		620			
421		471		521	0.5m	571		621			
422		472		522		572		622			
423		473		523	1.4m	573		623			
424		474		524	0.5m	574		624			
425		475		525	1m	575		625			
426		476		526		576	(B)	626			
427		477		527	1m	577		627			
428		478		528		578					
429		479		529	0.5m	579					
430		480		530		580					
431		481		531		581					
432		482		532	0.5m	582	(B)				
433		483		533		583	0.5m				
434		484		534	(B)	584					
435		485		535		585					
436		486		536	0.5m	586					
437		487		537	(B)	587					
438		488		538		588					
439		489		539	0.3m	589	0.3m				
440		490		540		590					
441		491		541	1m	591					
442		492		542	1.5m	592					
443		493		543	1m	593					
444		494		544	1m	594					
445		495		545		595					
446		496		546		596	(B)				
447		497	(B)	547		597					
448		498		548	(B)	598					
449		499		549	(B)	599					
450		500		550	0.3m	600					